


ODK Outdoor Kiosk Series

Outdoor Kiosk Specifications - 18.5" to 55"




Features

- - 18.5" to 47" Outdoor All-weather kiosk
- - 55" optional
- - Intel i3-4160 CPU
- - i5 or i7 optional
- - 1500 NIT LCD brightness
- - 8GB Wide-temperature RAM
- - Wide-temperature SSD
- - 6mm AR coated Vandal-proof tempered glass
- - IP-65 (water) sealed enclosure
- - Silver outdoor powder coat finish
- - 10 Point PCAP Touch
- - Integrated Heater and Forced-air Cooling Fans
- - Integrated lightning strike suppression
- - 2x 5W speakers



Typical ODK Open Case View

(Exact appearance and features may vary depending on the size & configuration)



ODK Outdoor Kiosk Series

Outdoor Kiosk Specifications - 18.5" to 55"




Typical ODK Layout & Features

(Exact appearance and features may vary depending on the size & configuration)



ODK Open Case View

(Exact layout and components may vary)



ODK Outdoor Kiosk Series

Outdoor Kiosk Specifications - 18.5" to 55"



ODK-21.5 General Specifications

Display	Panel Size	18.5" to 55"
	Glass	6mm AR Vandal-proof tempered glass
	Aspect ratio	16:9
	Backlight	LED
	Display color	16.7M
	Resolution	Depends on screen size
	Brightness	1500nits
	Viewing Angle	178°
	Response time	8ms
	Backlight lifetime	50000hours
	Ambient Light Sensor	Automatically adjusts LCD brightness to ambient light
	Luminosity Stability	10000 hours brightness attenuation 5~10%
PC	CPU	INTEL Core I3-4160 (i5 and i7 optional)
	Chipset	Intel H81
	BIOS	AMI 64Mbit
	RAM	8GB Wide-temperature RAM
	Hard Drive	2.5" Wide-temperature SATA SSD
	Chipset	CPU Integrated graphics HD4400 Graphics
	Output	VGA+HDMI Single display, dual display
	Network	1*RTL8111E, 10/100/1000M(RJ45LAN)
	WIFI	2*WIFI Module support 802.11b/g/n
	VGA	Dedicated 2GB Graphics Card
	HDMI	1
	USB2.0	4*USB 2.0
	USB3.0	2*USB 3.0
	COM	1*RS232
	Power Adapter	IPU61A-105
Capacitive touch	Size	All sizes
	Touch points	10 points
	Touch method	Capacitive
	Performance	Outdoor water-proof and anti-glare
Outdoor AR coated glass	Substrate	Anti-reflective glass/Laminated glass
	Substrate thickness	6mm
	Light transmittance	≥94%
	Reflectivity	≤5.5%
Audio	Specifications	Outdoor waterproof, high and low temperature resistance
	Speaker Size	2.5inch
	Power	10—20W
Cooling/Heating System	System:	Forced air Fan cooling and Heater
	Fans:	Long life, low noise ball bearing intelligent forced cooling fan
Enclosure/Environmental	Protection grade	All-weather outdoor, Entire Enclosure Sealed to IP65
	Housing structure	Galvanized steel with powder coating
	Power supply input	AC110-240V,50Hz
	Mounting	Heavy duty wall-mount brackets included
	Working/storage	10%-90% humidity

ODK Outdoor Kiosk Series



ODK Outdoor Kiosk Typical Mounting

