

TXJ TOUCH AIOs

21.5" - 27" - 32" - 42" - 47"

▶ Celeron 1037U, Core-i3-i5-i7 ▶ IR Multi-touch ▶ New Slim Case Style ▶ 2GB Graphics Card Option



▶ Black Front Bezel with Silver Trim

TXJ-M Series All-in-Ones:

- CPU choices include Intel 1037U Celeron, or Intel Core-i3, i5, i7 Processors
- 21.5", 27", 32", 42", 47" size range
- IR Multi-touch screen
- Optional discreet 2GB graphics card
- 16:9 Aspect Ratio 1080 x 1920 Resolution
- 4GB RAM/16GB Max. (Celeron 8GB Max.)
- 500GB HDD
- Optional Solid State HDD
- Integrated WiFi
- Integrated 2x 2 Watt Speakers
- Wall-mount
- Kiosk-mount
- Desktop-mount
- Rugged metal enclosure
- Windows 7/8.1 Installed with recovery image
- Custom Software Configuration

Basic Specifications

	TXJ-21.5	TXJ-27M	TXJ-32M	TXJ-42M	TXJ-47M
Display					
Size	21"	27"	32"	42"	47"
Native Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
Touch	IR Dual	IR 4 Point	IR 4 Point	IR 4 Point	IR 4 Point
Main Board					
Processor	Intel Celeron 1037U, Intel Core-i3, i5, or i7 Processors				
Power Supply					
AC Input	110V~240V	110V~240V	110V~240V	110V~240V	110V~240V
Dimensions					
mm	568x360x68	705x438x64	798x493x89	1029x622x108	1119x672x100




Specifications are subject to change without prior notice

TXJ TOUCH AIOs

21.5" - 27" - 32" - 42" - 47"

▶ Celeron 1037U, Core-i3-i5-i7 ▶ IR Multi-touch ▶ New Slim Case Style ▶ 2GB Graphics Card Option

Typical TXJ Rear View and IO



Specifications are subject to change without prior notice

TXJ TOUCH AIOs

21.5" - 27" - 32" - 42" - 47"

▶ Celeron 1037U, Core-i3-i5-i7 ▶ IR Multi-touch ▶ New Slim Case Style ▶ 2GB Graphics Card Option

TXJ Series CPU & Main Board Options:

CPU	Celeron 1037U	Intel Core-i3	Intel Core-i5	Intel Core-i7
Panel PC Sizes:	21.5", 27", 32", 42", 47"			
Clock Speed	1.8GHz.	3.6GHz.	3.2GHz.	4GHz.
CPU Type	Onboard	Socketed LGA1150		
RAM/RAM MAX	4GB/8GB	4GB/16GB	8GB/16GB	16GB/16GB
HDD	500GB	500GB		
Video	GMA3150	Intel HD		
Optional Discreet Video	2GB Radeon 7450	2GB Radeon 7450		
Audio	ALC662	Realtek 662		
WiFi	Integrated	Integrated		
LAN	1GB RLT8111C	1GB RLT8111D		
USB 2.0, 3.0	4	2,2		
HDMI	1	1		
VGA Out	1	1		
Audio I/O	Line Out/Mic In	Line Out/Mic In		

TXJ Series LCD & Mechanical Specs:

	TXJ-21.5	TXJ-27M	TXJ-32M	TXJ-42M	TXJ-47M
Display					
Size	21"	27"	32"	42"	47"
Aspect Ratio	(16:9)	(16:9)	(16:9)	(16:9)	(16:9)
Native Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
Contrast	(2000:1)	(2000:1)	(2000:1)	(2000:1)	(2000:1)
Response Time	6 m/sec	6 m/sec	6 m/sec	6 m/sec	6 m/sec
Brightness	500cd/m ²	500cd/m ²	500cd/m ²	500cd/m ²	500cd/m ²
Viewing Angle	176°/176°	176°/176°	176°/176°	176°/176°	176°/176°
Touch	IR Dual	IR 4 Point	IR 4 Point	IR 4 Point	IR 4 Point
Environmental					
Operation temperature	0 to 40C				
Operation Humidity	20%-80%RH				
Storage Temperature	-20C to 60C				
Storage Humidity	10%-75%RH				
Power Supply					
AC Input	110V~240V	110V~240V	110V~240V	110V~240V	110V~240V
Dimensions					
mm	568x360x68	705x438x64	798x493x89	1029x622x108	1119x672x100



Specifications are subject to change without prior notice